Notice of Allowability	Application No.	ation No. Applicant(s)	
	09/911,907	CHOW ET AL.	
	Examiner	Art Unit	
	Niketa I. Patel	2181	
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED i or other appropriate comm GHTS. This application is	n this application. If not included unication will be mailed in due course.	
1. \boxtimes This communication is responsive to <u>5/31/2006</u> .			
2. X The allowed claim(s) is/are <u>1-9</u> .			
 Acknowledgment is made of a claim for foreign priority una)	been received. been received in Application cuments have been received	on No ed in this national stage application from	
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			OF
 CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers hereto or 2) to Paper No./Mail Date including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the deposit of the deposit	on's Patent Drawing Revie s Amendment / Comment o 	r in the Office action of the drawings in the front (not the back) of FR 1.121(d). ERIAL must be submitted. Note the	
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	6. ☐ Interview S Paper No. 8), 7. ☐ Examiner's	nformal Patent Application (PTO-152) Summary (PTO-413), /Mail Date s Amendment/Comment	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's 9.	FRITZ FLEMING SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2100	:

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance: the prior art of record taken alone and/or in combination with other does not disclose the limitation of inserting the mean square error (MSE) into a frame status frame (FSF) by the MAC layer, in combination with other recited limitations. Also, see the arguments (pages 5-6) filed on 5/31/2006.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Niketa I. Patel whose telephone number is (571) 272 4156. The examiner can normally be reached on M-F 8:00 A.M. to 5:00 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Fritz Fleming can be reached on (571) 272 4145. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/911,907 Page 3

Art Unit: 2181

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

NP

08/14/2006

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100

15/2006